

BASF Wyandotte Corporation



Wyandotte, Michigan 48192
313 282-3300

C. W. Axce
General Manager
Wyandotte Works

October 2, 1985

Miss Bonnie Eleder
Remedial Project Manager
CERCLA Enforcement Section
c/o Waste Management Division
United States EPA - Region V
230 South Dearborn St. - 5HE-12
Chicago, IL 60604

Mr. Leonard Lipinski
c/o Director
Michigan Department of Natural Resources
P. O. Box 30028
Lansing, MI 48909

Dear Miss Eleder and Mr. Lipinski:

Subject: Consent Decree Civil Action 80-73699

Pursuant to Section IX and V.B.2 of the referenced Consent Decree, provided herewith are the numerical results of groundwater samples taken in June from the wells remaining on the site. Well numbers 7, 8 and 10 have been plugged and abandoned because they were dry holes.

I have checked with our Corporate headquarters and was advised the data was originally sent on September 10, 1985. However, we have not received the return receipt.

Copy of the receipt for certified mail is attached for your information.

Very truly yours,

A handwritten signature in cursive script, appearing to read "C. W. Axce".

C. W. Axce

mh

attachments

cc: F. Belobraidich
MDNR - Groundwater Quality Divn.
15500 Sheldon Rd.
Northville, MI 48167

RECEIVED
OCT 7 1985
U.S. EPA REGION V
WASTE MANAGEMENT DIVISION
HAZARDOUS WASTE ENFORCEMENT SECTION

Certified Nos.
EPA P 447 526 732
DNR P 447 526 731

10/15/85

US EPA RECORDS CENTER REGION 5



406796

CIVIL ACTION 80-73699 - CONSENT DECREE

ANALYTICAL RESULTS FOR
SAMPLES TAKEN

[REDACTED]

Well No.	Elev. feet	Concentration (ppb)					
		Benzo-(a) pyrene	Napthalene	PCB's	Penta- chlorophenol	Hg	As
1	575.89	ND	33	ND	ND	270	42
1	Dup	ND	19	ND	ND	220	23
2S	575.68	ND	1,216	ND	ND	760	43
2D	575.70	ND	340	ND	ND	350	96
3S	575.57	ND	3,728	ND	ND	3,100	6,400
3D	576.02	ND	1,002	ND	ND	4,900	9,000
4	576.86	<21	7	ND	ND	2,900	56
5	576.90	ND	6	ND	ND	13	45
6	574.83	119	1,698	ND	ND	2,200	110
9S	576.51	337	155	ND	ND	460	3,900
9D	581.30	13	16	ND	ND	160	29

Elevation of the Trenton Channel 576.33 feet

S - Shallow

D - Deep

ND- Not detected

WELL ELEVATIONS AT RIVERVIEW

	<u>Elevation</u>
1	582.29
2 Shallow (North)	579.88
2 Deep (South)	579.98
3 Shallow (North)	579.97
3 Deep (South)	579.77
4	583.16
5	585.50
6	584.43
9 Shallow (South)	584.51
9 Shallow (North)	587.00
Stillling Well	597.53

Elevations taken at Wellhead with Locking
cap removed.

Stillling well has no cap.

P35 1210952

RECEIPT FOR CERTIFIED MAIL

NO INSURANCE COVERAGE PROVIDED—
NOT FOR INTERNATIONAL MAIL
(Reverse)

SENT TO
Director
Midwest Natural Res.
P.O. Box 30028
Spring, MI 48909
STATE AND ZIP CODE
POSTAGE

CONSULT POSTMASTER FOR FEES	OPTIONAL SERVICES	RETURN RECEIPT SERVICE	CERTIFIED FEE	75
			SPECIAL DELIVERY	
			RESTRICTED DELIVERY	
			SHOW TO WHOM AND DATE DELIVERED	70
			SHOW TO WHOM, DATE AND ADDRESS OF DELIVERY	

SHOW TO WHOM AND DATE DELIVERED WITH RESTRICTED DELIVERY

TOTAL POSTAGE AND FEES 1.67
POSTMARK OR DATE

PS Form 3800, Apr. 1976

P35 1210953

RECEIPT FOR CERTIFIED MAIL

NO INSURANCE COVERAGE PROVIDED—
NOT FOR INTERNATIONAL MAIL

SENT TO
Insta Management Co.
U.S. P.A. Region I
250 So Dearborn Street
Chicago, IL 60604
STATE AND ZIP CODE
POSTAGE

CONSULT POSTMASTER FOR FEES	OPTIONAL SERVICES	RETURN RECEIPT SERVICE	CERTIFIED FEE	75
			SPECIAL DELIVERY	
			RESTRICTED DELIVERY	
			SHOW TO WHOM AND DATE DELIVERED	70
			SHOW TO WHOM, DATE AND ADDRESS OF DELIVERY	

SHOW TO WHOM AND DATE DELIVERED WITH RESTRICTED DELIVERY

TOTAL POSTAGE AND FEES 1.67
POSTMARK OR DATE

PS Form 3800, Apr. 1976



Miss Bonnie Eleder, Remedial Project Manager
CERCLA Enforcement Section
United States EPA - Region V
230 South Dearborn St. - 5HE-12
Chicago, IL 60604

HE-12

